

Search   for    

Limits Preview/Index History Clipboard Details

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

Search	Most Recent Queries	Time	Result
<a href="#">#16 Search #15 and sequencing</a>		12:39:52	<a href="#">75</a>
<a href="#">#18 Search #16 and (circular or circle)</a>		12:37:45	<a href="#">1</a>
<a href="#">#17 Search #16 and circular</a>		12:37:30	<a href="#">1</a>
<a href="#">#15 Search (inosine or (pyrrolo pyrimidine) or thiothymidine or aminoadenosine)</a>		12:37:13	<a href="#">10172</a>
<a href="#">#14 Search (inosine and (pyrrolo pyrimidine) and thiothymidine and aminoadenosine)</a>		12:36:44	<a href="#">0</a>
<a href="#">#13 Search (inosine and pyrrolopyrimidine and thiothymidine and aminoadenosine)</a>		12:36:27	<a href="#">0</a>
<a href="#">#11 Search 2-aminoadenosine or 2-thiothymidine</a>		12:34:35	<a href="#">25</a>
<a href="#">#12 Search (2-aminoadenosine or 2-thiothymidine) and sequencing</a>		12:31:39	<a href="#">1</a>
<a href="#">#10 Search 2-aminoadenosine and 2-thiothymidine</a>		12:31:07	<a href="#">0</a>
<a href="#">#9 Search deaza and circular</a>		12:28:55	<a href="#">17</a>
<a href="#">#3 Related Articles for PubMed (Select 3951988)</a>		12:27:31	<a href="#">108</a>
<a href="#">#8 Search deaza and (rolling circle)</a>		12:26:55	<a href="#">0</a>
<a href="#">#7 Search deazaguanosine and (rolling circle)</a>		12:26:47	<a href="#">0</a>
<a href="#">#6 Search deazaguanosine and (RCA)</a>		12:26:39	<a href="#">0</a>
<a href="#">#1 Search Nucleic Acids Research[Jour] AND 1319[page]</a>		12:21:01	<a href="#">9</a>

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

**Google**[Search](#) [Advanced Search](#)[Preferences](#)Try uppercase "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)[View and manage your web history](#)

---

**Web Results 1 - 6 of 6 for (secondary structure) and (aminoadenosine or thiothymidine or inosine or pyrrole).** (0.14 seconds)**Sequetech Corporation**

Sponsored Link

www.sequetech.com Quality DNA Sequencing since 1989. All ABI 3730xl. 18-24 hr turnaround

Did you mean: (secondary structure) and (aminoadenosine or thiothymidine or inosine or **parallel**)**Nucleic acid molecules with reduced secondary structure - Patent ...****Secondary structure** in a nucleic acid molecule can effectively block ..... [0081]

2-Aminoadenosine (D), 2-Thiothymidine (2-thioT), Inosine (I) and ...

www.freepatentsonline.com/20050032053.html - 100k - [Cached](#) - [Similar pages](#)**Synthesis of nucleic acid - Patent EP1225234**Nucleic acid molecules with reduced **secondary structure** ("unstructured nucleic .....)

2-Aminoadenosine (D), 2-Thiothymidine (2-thioT), Inosine (I) and ...

www.freepatentsonline.com/EP1225234.html - 141k - [Cached](#) - [Similar pages](#)[ [More results from www.freepatentsonline.com](#) ]**Switchable surfaces - US Patent 7020355**

... nucleoside analogs (e.g., 2-aminoadenosine, 2-thiothymidine, inosine, .... The

collapsed **structure** was also demonstrated by infrared spectroscopy, ...www.patentstorm.us/patents/7020355-description.html - 113k - [Cached](#) - [Similar pages](#)**Oligonucleotides having chiral phosphorus linkages - US Patent 6699979**27, 1990; Modulation of Gene Expression Through Interference with RNA **Secondary****Structure**, Ser. No. 518929, filed May 4, 1990; Oligonucleotide Modulation of ...www.patentstorm.us/patents/6699979-description.html - 109k - [Cached](#) - [Similar pages](#)**Nucleic Acids Symposium Series - current issue**Molecular design of DNA alkylating **pyrrole-imidazole** polyamides with longer ..... DNA**secondary structure** forming at minisatellite repeat unit sequences ...nass.oxfordjournals.org/rss/current.xml - [Similar pages](#)**Switchable surfaces - Patent Review 7020355**Li, et al., "Relationship Between Packing **Structure** and Headgroups of ..... nucleoside

analogs (e.g., 2-aminoadenosine, 2-thiothymidine, inosine, ...

www.wkipatents.com/7020355.html - 286k - [Cached](#) - [Similar pages](#)*In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.**If you like, you can [repeat the search with the omitted results included](#).*Did you mean to search for: (secondary structure) and (aminoadenosine or thiothymidine or inosine or **parallel**)[Search](#)[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

<a href="#">All Databases</a>	<a href="#">PubMed</a>	<a href="#">Nucleotide</a>	<a href="#">Protein</a>	<a href="#">Genome</a>	<a href="#">Structure</a>	<a href="#">OMIM</a>	<a href="#">PMC</a>	<a href="#">Journals</a>	<a href="#">B</a>
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="flex: 1;"> <div style="display: flex; align-items: center;"> <span style="border: 1px solid black; padding: 2px 5px; margin-right: 10px;">Search</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; flex-grow: 1;">PubMed</span> </div> <div style="border: 1px solid black; padding: 2px 10px; margin-left: 10px; border-radius: 5px;"> <input type="text" value="1 for #5 and (DNA or nucleic or oligonucleotide)"/> </div> </div> <div style="flex: 1; text-align: right;"> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Preview</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Go</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Cl</span> </div> </div>									
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="flex: 1;"> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Limits</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Preview/Index</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">History</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Clipboard</span> <span style="border: 1px solid black; padding: 2px 5px; border-radius: 5px; margin-right: 5px;">Details</span> </div> </div>									

[About Entrez](#)
[Text Version](#)
[Entrez PubMed Overview](#)  
[Help | FAQ](#)  
[Tutorials](#)
[New/Noteworthy](#)   
[E-Utilities](#)
[PubMed Services](#)  
[Journals Database](#)  
[MeSH Database](#)  
[Single Citation Matcher](#)  
[Batch Citation Matcher](#)  
[Clinical Queries](#)  
[Special Queries](#)  
[LinkOut](#)  
[My NCBI](#)
[Related Resources](#)  
[Order Documents](#)  
[NLM Mobile](#)  
[NLM Catalog](#)  
[NLM Gateway](#)  
[TOXNET](#)  
[Consumer Health](#)  
[Clinical Alerts](#)  
[ClinicalTrials.gov](#)  
[PubMed Central](#)

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

Search	Most Recent Queries	Time	Result
#6	<b>Search #5 and (DNA or nucleic or oligonucleotide) Limits: Publication Date to 2001/01</b>	23:03:42	<a href="#">93</a>
#5	<b>Search (secondary structure) and (aminoadenosine or thiothymidine or inosine or pyrrole) Limits: Publication Date to 2001/01</b>	22:57:16	<a href="#">441</a>
#4	<b>Search (secondary structure) and (aminoadenosine or thiothymidine or inosine or pyrrole)</b>	22:54:19	<a href="#">848</a>
#3	<b>Search (structure) and (aminoadenosine or thiothymidine or inosine or pyrrole)</b>	22:54:09	<a href="#">9990</a>
#2	<b>Search (unstructured) and (aminoadenosine or thiothymidine or inosine or pyrrole)</b>	22:53:34	<a href="#">14</a>

[Clear History](#)
[Write to the Help Desk](#)
[NCBI](#) [NLM](#) [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)  
The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar All articles - Recent articles Results 1 - 10 of about 2,170 for (electron tunneling) and (DNA or RNA or nucleic). (0.14****All Results**[K Murakami](#)[S Darst](#)[S Bressanelli](#)[S Masuda](#)[L Tomei](#)**Nucleic acid mediated electron transfer - all 2 versions »**

SE Fraser, JF Kayyem, TJ Meade - US Patent 5,952,172, 1999 - patentstorm.us

... Thiol Monolayers on Gold Electrodes: Evidence for **Electron Tunneling** to Redox ... Mestel, "Electron Highway" Points to Identity of DNA," New Scientist ...[Cited by 37](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)**Proton Tunneling in DNA and its Biological Implications - all 2 versions »**

PO Löwdin - Reviews of Modern Physics, 1963 - APS

... bonding to one of the extra **electron** lonepairs available ... of radiation in resonance with the proton **tunneling** frequency, as ... by the base sequence in DNA, and the ...[Cited by 31](#) - [Related Articles](#) - [Web Search](#)**[BOOK] Interactions of Metal Ions with Nucleotides, Nucleic Acids, and Their Constituents - all 3 versions »**

A Sigel, H Sigel - 1996 - books.google.com

... 13 ELECTRON TRANSFER REACTIONS THROUGH THE DNA DOUBLE HELIX ... 4. Electron Transfer Reactions Involving Covalently Bound Donors ... of Metal Ions in RNA and Ribozyme ...

[Cited by 104](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)**Structural Basis of Transcription Initiation: An RNA Polymerase Holoenzyme-DNA Complex - all 9 versions »**

KS Murakami, S Masuda, EA Campbell, O Muzzin, SA ... - Science, 2002 - sciencemag.org

... The experimental **electron** density map, calculated using observed ... line (1). The template strand **DNA** within the ... is directed through a protein **tunnel** framed by 2 ...[Cited by 230](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Atomic force microscopy imaging of double stranded DNA and RNA. - all 2 versions »**

YL Lyubchenko, AA Gall, LS Shlyakhtenko, RE ... - J Biomol Struct Dyn, 1992 - ncbi.nlm.nih.gov

... **DNA**, Viral/metabolism; Deoxyribonuclease HindIII/metabolism; Microscopy, **Electron**, Scanning; Microscopy, Scanning **Tunneling**; Nucleic Acid Conformation; RNA, Double ...[Cited by 56](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**LONG-DISTANCE ELECTRON TRANSFER THROUGH DNA - all 5 versions »**

B Giese - Annual Review of Biochemistry, 2002 - Annual Reviews

... Thus, one could expect that the excess **electron** migration through DNA occurs via a hopping ... Actually, excess **electron** transfer via **tunneling** has been ...[Cited by 51](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Crystal structure of the RNA-dependent RNA polymerase of hepatitis C virus - all 6 versions »**

S Bressanelli, L Tomei, A Roussel, I Incitti, RL ... - Proceedings of the National Academy of Sciences, 1999 - National Acad Sciences

... Places where the **electron** density was weak corresponded to exposed ... moiety of which points toward the **tunnel** mentioned in ... minor groove of the A form **DNA** duplex. ...[Cited by 193](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Yeast RNA polymerase II at 5 Å resolution - all 10 versions »**

J Fu, AL Gnatt, DA Bushnell, GJ Jensen, NE ... - Cell, 1999 - jensenlab.caltech.edu

... shell-like the locations shown by **electron** crystallography of ... The total of 8 residues in **RNA-DNA** hybrid ... and 10 residues in the **tunnel** could account for three ...[Cited by 76](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)**Femtosecond direct observation of charge transfer between bases in DNA - all 10 versions »**

C Wan, T Fiebig, O Schiemann, JK Barton, AH Zewail - Proceedings of the National Academy of Sciences, 2000 - National Acad Sciences

... V (superexchange limit) and those in near resonance V (tunneling limit ... (1999) **Electron** Transfer From ... RA Romer, and MS Turner Electronic Transport in DNA Biophys ...[Cited by 41](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Electrodes linked via conductive oligomers to nucleic acids - all 2 versions »**

US Patent 6,096,273, 2000 - patentstorm.us

... etc.) 536/23.1, **DNA** or **RNA** fragments or ... KM, et al., "Covalent Immobilization of **DNA** onto Glassy ... on Gold Electrodes: Evidence for **Electron Tunneling** to Redox ...[Cited by 13](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)